

# FORMOR

## PRODUCT MANUALS



Fortune Plus Technology (Guangzhou) Limited

**Fortune Plus Technology (Guangzhou) Limited**

W. [www.fortune-plus.com](http://www.fortune-plus.com)


M. 020-82226081 F. 020-82221236

GuangZhou: 1301-121, NO.2 Youli Tech Park Pan Yu GZ, China

Panfu Rd, Chengxi Community, Pandong Town, Jiedong District, Jieyang City, China

# INTRODUCTION

## 2012-2020<sup>+</sup>



### Company Introduction

Fortune Plus Hardware is a professional OEM and ODM supplier for furniture fittings, furniture and decorative hardware globally.

Our headquarter is located in Guangzhou, the foreign trade center in China. Manufacturing unites for drawer slides and cabinet hinges are located in Jieyang City, 300 km from Guangzhou.

Since 2012, we have been dedicated in hardware designing, manufacturing and sourcing for foreign customers. We have developed our own brand FORMOR for one stop solution and space optimization for customized furniture.

We have operation offices in South Korea, India, Vietnam and Poland. With a team of energetic youth and multinational culture, we keep on creating values to our customers, looking for your cooperation.


ONE WAY HINGE

CH-A001

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	110°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm



Optional accessories



Hinge cup type  
(unit:mm / Φ:radius)



Options of screws & dowels & hole



CH-A002



CH-A008



TWO WAY HINGE

CH-B001



Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	110°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm

Optional accessories




Hinge cup type  
(unit:mm / Φ:radius)




Options of screws & dowels & hole



CH-B002



CH-B003



ONE WAY SOFT CLOSING HINGE

CH-D001




Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm

Optional accessories



Hinge cup type  
(unit:mm / Φ:radius)




Options of screws & dowels & hole



CH-D002



CH-D016



ONE WAY SOFT CLOSING HINGE

CH-D022



Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm

Optional accessories




Hinge cup type  
(unit:mm / Φ:radius)



Options of screws & dowels & hole



CH-D005



CH-D006



ONE WAY SOFT CLOSING HINGE

CH-C020




Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm

Optional accessories




Hinge cup type  
(unit:mm / Φ:radius)




Options of screws & dowels & hole



CH-C017



CH-C019



ONE WAY SOFT CLOSING HINGE

CH-C016



Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm

Optional accessories





Hinge cup type  
(unit:mm / Φ:radius)






Options of screws & dowels & hole



CH-C001



CH-C002



TWO WAY SOFT CLOSING HINGE

CH-K202



Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	100°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm

Optional accessories



Hinge cup type  
(unit:mm / Φ:radius)




Options of screws & dowels & hole



CH-K203



CH-K204



ONE WAY 3D SOFT CLOSING HINGE

CH-E004



Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm

Optional accessories



Hinge cup type  
(unit:mm / Φ:radius)



Options of screws & dowels & hole



ONE WAY 3D SOFT CLOSING HINGE

CH-E001




Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Depth of hinge cup:	10.5mm
Range for door thickness:	19 - 24mm
Dimension of door:	3 - 7mm

Optional accessories



Hinge cup type  
(unit:mm / Φ:radius)



Options of screws & dowels & hole



CH-E007



Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm

Optional accessories



CH-E002



Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Depth of hinge cup:	10.5mm
Range for door thickness:	19 - 24mm
Dimension of door:	3 - 7mm

Optional accessories



ONE WAY 3D SOFT CLOSING HINGE



**CH-E005**

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm

Optional accessories



Hinge cup type  
(unit:mm / Φ:radius)



Options of screws & dowels & hole



**CH-E006**

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm

Optional accessories



### CH-S005



Material:	Stainless Steel 201
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm

Optional accessories



Hinge cup type  
(unit:mm / Φ:radius)




Options of screws & dowels & hole



### CH-S006



### CH-S011



### CH-S001




Material:	Stainless Steel 201
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm


Optional accessories




Hinge cup type  
(unit:mm / Φ:radius)




Options of screws & dowels & hole



### CH-S002



### CH-S003 (Stainless Steel 304)




CORNER HINGE

CH-I001



Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	30°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm

Optional accessories



Hinge cup type  
(unit:mm / Φ:radius)



Options of screws & dowels & hole



CH-I201



Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	30°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm

Optional accessories




CORNER HINGE

CH-I003




Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	45°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm


Optional accessories



Hinge cup type  
(unit:mm / Φ:radius)



Options of screws & dowels & hole



CH-I006



Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	45°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm

Optional accessories



CORNER HINGE



CH-I005

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	90°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm


Optional accessories



Hinge cup type  
(unit:mm / Φ:radius)



Options of screws & dowels & hole



CORNER HINGE




CH-I011

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	135°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm


Optional accessories



Hinge cup type  
(unit:mm / Φ:radius)



Options of screws & dowels & hole



CH-I013

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	90°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm

Optional accessories



175° CORNER HINGE



CH-I026

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	175°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm

Optional accessories



Hinge cup type  
(unit:mm / Φ:radius)



Options of screws & dowels & hole



Optional accessories



CH-I024

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	175°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm

165° CORNER HINGE




CH-I210

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	165°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm

Optional accessories



Hinge cup type  
(unit:mm / Φ:radius)



Options of screws & dowels & hole



Optional accessories



CH-I209

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	165°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm


AMERICAN CONCEALED HINGE

CH-F001



Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	7 - 10mm
Dimension of door:	3 - 7mm
Cup hole distance:	45/48/52mm

Optional accessories



Hinge cup type  
(unit:mm / Φ:radius)



Options of screws & dowels & hole



CH-F002

CH-F004



CH-F003



AMERICAN SOFT CLOSING CONCEALED HINGE

CH-L201



Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	1-1/4"
Dimension of door:	3 - 7mm
Cup hole distance:	45mm

Optional accessories




Hinge cup type  
(unit:mm / Φ:radius)




Options of screws & dowels & hole



CH-L202



CH-L203



ONE WAY SOFT CLOSING HINGE (FOR ALUMINIUM FRAME)



CH-J202

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Drilling dimension on aluminum frame hinge head:	28mm
Depth of hinge cup:	10.5mm
Range or width of aluminum frame:	19 - 24mm
Dimension of door:	3 - 7mm

Optional accessories



Hinge cup type  
(unit:mm / Φ:radius)



Options of screws & dowels & hole



CH-J201

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Drilling dimension on aluminum frame hinge head:	28mm
Depth of hinge cup:	10.5mm
Range or width of aluminum frame:	19 - 24mm
Dimension of door:	3 - 7mm

Optional accessories



40MM CUP SOFT CLOSING HINGE




CH-G002

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	40mm
Depth of hinge cup:	12.5mm
Range for door thickness:	20 - 28mm
Dimension of door:	3 - 7mm
Cup hole distance:	52mm

Optional accessories



Hinge cup type  
(unit:mm / Φ:radius)



Options of screws & dowels & hole



CH-G001

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	40mm
Depth of hinge cup:	12.5mm
Range for door thickness:	20 - 28mm
Dimension of door:	3 - 7mm
Cup hole distance:	52mm

Optional accessories

